

INTERIOR LIGHTS

SERIES 16



GABORONE

New LED Chart Light. Flexible Arm Allows for Wide Range of Motion Throughout Chart Table Spaces. Equipped with Both White and Red LED Light to Maintain Night Vision.

Mounting

Wall or table mount requires 3 screws (included)

Electric

On/off on switch with 2 wire lead



Including illuminant						
Article number	Description	Wattage	Housing color	Voltage	Item length	Item weight
16500	Gaborone	9 W (white); 4 W (red)	Black	12 V	12" Stalk	136 g



PORTOFINO

Berth/ Reading Light for Atmosphere and Functionality on Board. Has an Integral On/Off Switch Built into Housing. Available in Black or White Finishes. Installs Easily with Two Mounting Screws.

Housing


Plastic

Optics

Polycarbonate

Electric

On/off switch with 2 wire lead



Including illuminant						
Article number		Description	Wattage	Housing color	Voltage	Item weight
15061		Berth / Reading Light	5 W	white	12 V	140 g
15064		Berth / Reading Light	5 W	black	12 V	140 g
Sparepart / Extra						
90282		Bulb Halogen	5 W		12 V	
90247		Bulb	5 W		24 V	
83140001		Diffuser				

INTERIOR LIGHTS

SERIES 16



TORONTO

This Unique Light with Directional Beam Adjusts from White to Blue for Chart Reading. Lamp Clips on Supplied Base. The Spiral Cord Stretches to 4 ft. Features an Intensity Control and On/Off switch. Shock-resistant, Non-corrosive, and Seawater Resistant Polycarbonate Housing.

Housing

Plastic black, shock resistant, non-corrosive, non-magnetic, seawater resistant.

Optics


Polycarbonate

Mounting

Pigtail version to slip into one of two brackets fixed to bulkhead by means of 4 screws each.


Electric

On/off switch; dimmer control for chart reading, 2 wire



Including illuminant					
Article number	Description	Wattage	Housing color	Voltage	Item weight
15404	Reading and Chart table Light with pigtail	5 W	black	12 V	230 g
3132002*	Reading and Chart table Light	5 W	black	12 V	180 g
3132013	Reading and Chart table Light with pigtail	5 W	black	24 V	230 g
3132003*	Reading and Chart table Light	5 W	black	24 V	180 g
*Special order item, call for availability					
Sparepart / Extra					
23132020	Mounting braket		black		
15410	Repair Kit				
90282	Bulb halogen	5 W		12 V	
90247	Bulb	5 W		24 V	

Spare Parts





SERIES 16



INTERIOR LIGHTS

SERIES 16



CAIRO

New LED Bulkhead Light is an Extremely Bright Light Designed for Engine Rooms, Storage Lockers, Lazarettes, and Other Areas on Board where Maximum Light is Needed.

Mounting

Surface mount/wall type requires 4 mounting screws (included).

Electric

2 wire lead



NEW!

Including illuminant					
Article number	Description	Housing color	Voltage	Item length	Item weight
16510	Cairo	white	12 V	5" w x 5" h x 2.5" d	136 g



PRAGUE

New Feature Rich LED with Red and White Light. This Slim Design Features a Touch Pad for 3 Dimming Levels for Both the Red Light and White Light. European Look is Perfect for Inside Steering Stations where Red Light is Required.

Mounting

Surface mount with 2 mounting screws required (included).

Electric

Multivolt 8 - 30 V, 3 wire lead



NEW!

Including illuminant						
Article number	Description	Wattage	Housing color	Voltage	Item length	Item weight
16600	Prague	< 3 W (white); < 1 W (red)	white	Multivolt 8 - 30 V	5" diameter, 1.3" depth	181 g



SERIES 16



VIENNA
New LED Multipurpose Light is Illuminated by Pushing the Light Lens. Can be Surface Mounted or Flush Mounted for a Variety of Applications.

Mounting

Surface or recess mount requires 2 screws (included).

Electric

Push-lens, on/off switch, 2 wire lead.



INTERIOR LIGHTS

SERIES 16



TOULOUSE

Halogen Recessed Downlight and Wall Light. Provides an Excellent Distinctive Accent to Your Cabin. Available with Deflector to Direct Light Downward Making an Excellent Utility Light. Available in Multiple Finishes.

Housing

Plastic

Diffuser


Plastic

Protection

IP 65

Electric

2 wire lead



mm / inch

Including illuminant						
Article number		Description	Wattage	Housing color	Voltage	Item weight
15025*		Downlight	10 W	brass	12 V	100 g
15023*		Downlight	10 W	chrome plated	12 V	100 g
15027*		Downlight	10 W	white	12 V	100 g
*Special order item, call for availability						
Sparepart / Extra						
90437		Bulb	10 W		12 V	



TOULOUSE

Halogen Recessed Down Light and Wall Light. Provides an Excellent Distinctive Accent to Your Cabin. Available with Deflector to Direct Light Downward Making an Excellent Utility Light. Available in Multiple Finishes.

Housing

Plastic

Diffuser



Plastic

Protection

IP 65

Electric

2 wire lead




mm / inch

Including illuminant						
Article number		Description	Wattage	Housing color	Voltage	Item weight
15024*		Wall Light	10 W	brass	12 V	110 g
15022*		Wall Light	10 W	chrome plated	12 V	110 g
15026*		Wall Light	10 W	white	12 V	110 g
*Special order item, call for availability						
Sparepart / Extra						
90437		Bulb	10 W		12 V	



SERIES 16



mm / inch

Including illuminant

Article number	Description	Wattage	Housing color	Voltage	Item weight
15028	Downlight	10 W	stainless steel	12 V	110 g

Sparepart / Extra

90437		Bulb	10 W	12 V	
90436		Bulb	5 W	12 V	



AVIGNON

These Shallow Depth Recessed Halogen Downlights Provide the Traditional Clean Look and Accent Any Décor.

Housing

Plastic

Light cover


Stainless steel and glass diffuser

Protection

IP 65

Electric

2 wire lead



mm / inch

Including illuminant

Article number	Description	Wattage	Housing color	Voltage	Item weight
15121	Downlight (small)		brass	12 V	128 g
15120	Downlight (small)		chrome	12 V	128 g



PARIS

LED Recessed Downlight Features a Stainless Steel Bezel, and a Rubber Gasket for Mounting in Cockpits, and Semi Exposed Areas on Board. A Glazed Safety Glass Diffuser Spreads the LED in a Uniform Manner Allowing for a Multitude of Uses.

Housing

Plastic

Light cover

Stainless steel and glass diffuser

Protection

IP 65

Electric

2 wire lead

INTERIOR LIGHTS

SERIES 16



BAMA KO

New Round LED Headliner Light. Can be Surface Mounted or Recessed into Headliner for Flexibility. Housing is ABS Plastic, with Chrome Plastic Finish. Utilizes 12 LED Warm White Diodes for Inviting Light in Cabin Areas.

Mounting

Recess mount, requires 2 1/4" diameter cutout, mounts with 3 screws (included). Surface mount spacer ring included.

Electric

2 wire lead




Including illuminant						
Article number	Description	Wattage	Housing color	Voltage	Item length	Item weight
16520	LED Headliner Light	12 W	nickel	12 V	3.5" diameter	68 g





SERIES 16



CALAIS

These Elegant Halogen Downlights Can be Used Anywhere in the Cabin where Illumination is Needed.

The Swivel or Fixed Version, Available in Many Finishes, Creates the Perfect Setting.

Housing

Metal, available with chrome, brass and white finish.

Mounting

Spring-clip mount

Electric

2 wire lead

Including illuminant

	Article number	Description	Wattage	Housing color	Voltage	Item weight
1	15008*	Downlight fixed	20 W	brass	12 V	114 g
2	15004*	Downlight fixed	20 W	chrome	12 V	114 g
	15006*	Downlight fixed	20 W	chrome matt	12 V	114 g
3	15011*	Downlight fixed	20 W	white	12 V	114 g
4	15007*	Downlight swivel	20 W	brass	12 V	124 g
	15003*	Downlight swivel	20 W	chrome	12 V	124 g
5	15005*	Downlight swivel	20 W	chrome matt	12 V	124 g
	15009*	Downlight swivel	20 W	white	12 V	124 g

*Special order item, call for availability

Sparepart / Extra

	90234	Bulb for Calais	20 W		12 V	
--	-------	-----------------	------	--	------	--

INTERIOR LIGHTS

SERIES 16



ARRAS

These Elegant Halogen Downlights Can be Used Anywhere in the Cabin where Illumination is Needed. The Swivel or Fixed Version, Available in Many Finishes, Creates the Perfect Setting.

Housing


Metal, available in chrome, brass and white finish.

Mounting

Spring-clip mount

Electric

2 wire lead



Including illuminant

	Article number	Description	Wattage	Housing color	Voltage	Item weight
1	15017*	Downlight fixed	20 W	brass	12 V	114 g
	15013*	Downlight fixed	20 W	chrome	12 V	114 g
2	15015*	Downlight fixed	20 W	chrome matt	12 V	114 g
	15019*	Downlight fixed	20 W	white	12 V	114 g
3	15016*	Downlight swivel	20 W	brass	12 V	124 g
4	15012*	Downlight swivel	20 W	chrome	12 V	124 g
	15014*	Downlight swivel	20 W	chrome matt	12 V	124 g
	15018*	Downlight swivel	20 W	white	12 V	124 g

*Special order item, call for availability

Sparepart / Extra

	90234	Bulb	20 W		12 V	
--	-------	------	------	--	------	--




SERIES 16

1



2



mm / inch



ATLANTA

This Traditional Maritime Light is the Standard in the Industry. Available with a Stainless Steel Bezel and Multiple Voltages. Maritime Light Applications in Recessed Mounting, Versions for Halogen or Festoon Bulbs.

Housing

Metal

Light cover

Plastic with or without stainless steel ring, different style, seawater resistant.

Electric

Incl. 100 mm / 3.94 inch lead.




Protection

IP 56

Illuminant see description

	Article number	Description	Wattage	Housing color	Voltage	Item weight
1	3107160	Recessed downlight with rounded stainless steel ring and opal cover, bulb included	10 W Halogen	stainless steel	12 V	200 g
2	15114	Recessed downlight with rounded stainless steel ring and crystal cover, bulb not included	10 W Festoon	stainless steel	12 V; 24 V	200 g

Sparepart / Extra

	83107018*	Diffuser crystal with beveled ring				
*Special order item, call for availability						
	90437	 Bulb Halogen	10 W		12 V	
	90177	 Bulb	10 W		12 V	
	90191	 Bulb	10 W		24 V	

INTERIOR LIGHTS

SERIES 16



MONTE CARLO

These Lights are Available in a Variety of Finishes and Features. Can be Ordered With or Without a Switch, and the Flexible Mounting Allows for Both Recessed and Flush Mounting.

Housing

Plastic, heat resistant, non-magnetic.

Optics

Plastic

Diffuser

Plastic with on-off switch

Electric

On/off switch, incl. 100 mm / 4 inch cable
2 wire lead



VALENCIA

Industry Proven Design Includes On/Off Switch and is Surface Mounted for a Wide Range of Mounting Flexibility. Available in Red or White.

Housing

Plastic

Optics


Polycarbonate, seawater resistant

Diffuser


Plastic with on-off switch

Electric

On/off switch, 2 wire lead.



Including illuminant							
	Article number		Description	Wattage	Housing color	Voltage	Item weight
1	15001		Recessed downlight	5 W	white	12 V	50 g
2	15002		Surface downlight	5 W	white	12 V	55 g
Sparepart / Extra							
	90436		Bulb	5 W		12 V	
	83109023		Lens with switch		white		
	83109032		Lens without switch		white		



Not including illuminant						
Article number		Description	Wattage	Housing color	Voltage	Item weight
3120210		Downlight	10 W	red	12 V; 24 V	80 g
Sparepart / Extra						
23120006*		Light cover red				
*Special order item, call for availability						
90177		Bulb	10 W		12 V	
90191		Bulb	10 W		24 V	



SERIES 16



MAPUTO

New LED Multipurpose Light. Has Rocker Switch to Control Both Red and White LED Light. Overall Length is 16 Inches for a Very Bright Output in Engine Rooms, Storage Lockers, and Work Spaces. Surface mount.

Mounting

Requires 4 mounting screws (included)

Electric

On/off/on 3 position switch with 3 wire lead.



INTERIOR LIGHTS

SERIES 16



SANTIAGO

These 3-LED Diode Accent Lights Provide as Much Light Output as a Conventional 12 V Incandescent Bulb, Consuming Only 0.5 Watts of Power and Drawing One-tenth the Power of Incandescents. Low Heat Makes Them Safer for Enclosed Areas. Perfect for Accent Lighting and as a Courtesy Light for Steps and Walkways.

Electric

2 wire lead



Including illuminant

Article number	Description	Wattage	Voltage	Item length	Item weight
16400	3 White LED oval light	0.5 W	12 V	3.35" w x 1.22" h x 0.9" d	23 g
16401	3 Blue LED oval light	0.5 W	12 V	3.35" w x 1.22" h x 0.9" d	23 g
16402*	3 Yellow LED oval light	0.5 W	12 V	3.35" w x 1.22" h x 0.9" d	23 g
16403	3 Red LED oval light	0.5 W	12 V	3.35" w x 1.22" h x 0.9" d	23 g
16420	3 White LED oval light with stainless steel cover	0.5 W	12 V	3.35" w x 1.22" h x 0.9" d	45 g
16421	3 Blue LED oval light with stainless steel cover	0.5 W	12 V	3.35" w x 1.22" h x 0.9" d	45 g
16422*	3 Yellow LED oval light with stainless steel cover	0.5 W	12 V	3.35" w x 1.22" h x 0.9" d	45 g
16423	3 Red LED oval light with stainless steel cover	0.5 W	12 V	3.35" w x 1.22" h x 0.9" d	45 g

*Special order item, call for availability

Sparepart / Extra

16132	Stainless steel cover for Santiago				
-------	------------------------------------	--	--	--	--





SERIES 16



BOGOTA

These 4-LED Diode Accent Lights Provide as Much Light Output as a Conventional 12 V Incandescent Bulb, Consuming Only 0.8 Watts of Power and Drawing One-tenth the Power of Incandescents. Low Heat Makes Them Safer for Enclosed Areas.

Electric

2 wire lead

Including Illuminant

Article number	Description	Wattage	Voltage	Item length	Item weight
16404	4 White LED round light with stainless steel cover	0.8 W	12 V	2.95" diameter, 1" depth	91 g
16405	4 Blue LED round light with stainless steel cover	0.8 W	12 V	2.95" diameter, 1" depth	91 g
16406*	4 Yellow LED round light with stainless steel cover	0.8 W	12 V	2.95" diameter, 1" depth	91 g
16407	4 Red LEDs round light with stainless steel cover	0.8 W	12 V	2.95" diameter, 1" depth	91 g
16408	4 White LED round light with white and chrome plastic cover	0.8 W	12 V	2.95" diameter, 1" depth	68 g
16409	4 Blue LED round light with white and chrome plastic cover	0.8 W	12 V	2.95" diameter, 1" depth	68 g
16410*	4 Yellow LED round light with white and chrome plastic cover	0.8 W	12 V	2.95" diameter, 1" depth	68 g
16411	4 Red LED round light with white and chrome plastic cover	0.8 W	12 V	2.95" diameter, 1" depth	68 g

*Special order item, call for availability

Sparepart / Extra

16432	Stainless steel cover for Bogota				
-------	----------------------------------	--	--	--	--

INTERIOR LIGHTS

SERIES 16



LIMA

These Single LED Diode Accent Lights Provide as Much Light Output as a Conventional 12 V Incandescent Bulb, Consuming Only 0.3 Watts of Power and Drawing at Least 10 Times Less Power Than Incandescents. Low Heat Makes Them Safer for Enclosed Areas.

Mounting

Easy hole saw installation with plastic lock nut and washers provided.

Protection

IP 67



Including illuminant						
	Article number	Description	Wattage	Voltage	Item length	Item weight
1	16412	Single white LED light	0.3 W	12 V	1.50" diameter, 1.6" depth	23 g
2	16413	Single blue LED light	0.3 W	12 V	1.50" diameter, 1.6" depth	23 g
3	16414*	Single yellow LED light	0.3 W	12 V	1.50" diameter, 1.6" depth	23 g
5	16415	Single red LED light	0.3 W	12 V	1.50" diameter, 1.6" depth	23 g
*Special order item, call for availability						





SERIES 16



Including illuminant							
	Article number	Description	LED color	Housing color	Voltage	Item length	Item weight
1	16020	2-LED courtesy light	white	black	12 V	1.50" w x 0.75" h x 0.5" d	5 g
2	16040	2-LED courtesy light	amber	black	12 V	1.50" w x 0.75" h x 0.5" d	5 g
3	16060	2-LED courtesy light	red	black	12 V	1.50" w x 0.75" h x 0.5" d	5 g



Including illuminant						
Article number	Description	Wattage	Housing color	Voltage	Item length	Item weight
16150	Courtesy light	5 W	black	12 V	2.56" w x 1.30" d x 0.8" d	45 g
16253	Courtesy Light	5 W	champagne	12 V	2.56" w x 1.30" d x 0.8" d	45 g

CE



NASSAU

This Mini Two Diode Light is Available in a Shock-resistant Black Housing and Three Colors – White, Red and Amber. Extremely Low Amp Draw Will Allow for Mounting Anywhere for High Use Applications. LED Courtesy Lights for Diverse Applications.

Electric

< 0.1 Amp

Mounting

2 screws provided

Protection

IP 67

CE

TORTUGA

This Small Step Light is Designed to be Mounted in Companionways and Stairwells. Available in Black and Champagne Colors, This Light Can Dress Up Any Passageway. Courtesy Lights for Diverse Applications.

Optics

Plastic

Mounting

2 screws provided

Electric

0.6 Amp

INTERIOR LIGHTS

SERIES 16



BERMUDA

This Recessed Light Has a Unique Flush Exterior to be Used in Areas with Minimal Clearance to Eliminate Bumping and Breakage. Once Mounted This Light is Virtually Invisible Until Illuminated. Courtesy Light for Diverse Applications.

Optics

Plastic

Mounting

2 screws provided

Electric

2 wire lead



Including illuminant							
Article number		Description	Wattage	Housing color	Voltage	item length	Item weight
16300		Courtesy Light	8 W	white	12 V	3.15" w x 2.56" h x 0.79" d	45 g
Sparepart / Extra							
90016		Bulb	8 W		12 V		



BIMINI

This Courtesy Light is Designed to be Mounted in Exterior Locations on Round Tubes or Flat Surfaces. Has Built-in On/Off Switch, and Tough Waterproof Casing. Courtesy Light for Diverse Applications.

Optics

Plastic

Mounting

2 screws provided

Electric


On/off push-button switch, 2 wire lead.



Including illuminant							
Article number		Description	Wattage	Housing color	Voltage	Item length	Item weight
16210		Courtesy light with on/off switch	8 W	white	12 V	3.94" w x 0.98" h x 1.1" d	68 g
Sparepart / Extra							
90016		Bulb	8 W		12 V		



SERIES 16



Including illuminant

Article number	Description	Wattage	Housing color	Voltage	Item weight
24505	Courtesy light	7.5 W	stainless steel	12 V	91 g



ARUBA

This Recessed Courtesy Light Has a Multitude of Functions. Can be Used as a Courtesy Light, Accent Light, or Cockpit Floor Light. Stainless Steel Housing Allows for Mounting in Exterior Locations.

Housing

Metal

Optics

Plastic

Mounting

2 screws provided

Electric

2 wire lead

